


BMJ helping doctors make better decisions



Advanced search

BMJ 1996;312:71-72 (13 January)

Editorials

Evidence based medicine: what it is and what it isn't

It's about integrating individual clinical expertise and the best external evidence

Evidence based medicine, whose philosophical origins extend back to mid-19th century Paris and earlier, remains a hot topic for clinicians, public health practitioners, purchasers, planners, and the public. There are now frequent workshops in how to practice and teach it (one sponsored by the BMJ will be held in London on 24 April); undergraduate¹ and postgraduate² training programmes are incorporating it³ (or pondering how to do so); British centres for evidence based practice have been established or planned in adult medicine, child health, surgery, pathology, pharmacotherapy, nursing, general practice, and dentistry; the Cochrane Collaboration and Britain's Centre for Review and Dissemination in York are providing systematic reviews of the effects of health care; new evidence based practice journals are being launched; and it has become a common topic in the lay media. But enthusiasm has been mixed with some negative reaction.^{4 5 6} Criticism has ranged from evidence based medicine being old hat to it being a dangerous innovation, perpetrated by the arrogant to serve cost cutters and suppress clinical freedom. As evidence based medicine continues to evolve and adapt, now is a useful time to refine the discussion of what it is and what it is not.

Evidence based medicine is the conscientious, explicit, and judicious use of current best evidence in making decisions about the care of individual patients. The practice of evidence based medicine means integrating individual clinical expertise with the best available external clinical evidence from systematic research. By individual clinical expertise we mean the proficiency and judgment that individual clinicians acquire through clinical experience and clinical practice. Increased expertise is reflected in many ways, but especially in more effective and efficient diagnosis and in the more thoughtful identification and compassionate use of individual patients' predicaments, rights, and preferences in making clinical decisions about their care. By best available external clinical evidence we mean clinically relevant research, often from the basic sciences of medicine, but especially from patient centred clinical research into the accuracy and precision of diagnostic tests (including the clinical examination), the power of prognostic markers, and the efficacy and safety of therapeutic, rehabilitative, and preventive regimens. External clinical evidence both invalidates previously accepted diagnostic tests and treatments and replaces them with new ones that are more powerful, more accurate, more efficacious, and safer.

Good doctors use both individual clinical expertise and the best available external evidence, and neither alone is enough. Without clinical expertise, practice risks becoming tyrannised by evidence, for even excellent external evidence may be inapplicable to or inappropriate for an individual patient. Without current best evidence, practice risks becoming rapidly out of date, to the detriment of patients.

This description of what evidence based medicine is helps clarify what evidence based medicine is not. Evidence based medicine is neither old hat nor impossible to practice. The argument that "everyone already is doing it" falls before evidence of striking variations in both the integration of patient values into our clinical behaviour⁷ and in the rates with which clinicians provide interventions to their patients.⁸ The difficulties that clinicians face in keeping abreast of all the medical advances reported in primary journals are obvious from a comparison of the time required for reading (for general medicine, enough to examine 19 articles per day, 365 days per year⁹) with the time available (well under an hour a week by British medical consultants, even on self reports¹⁰).

The argument that evidence based medicine can be conducted only from ivory towers and armchairs is refuted by audits from the front lines of clinical care where at least some inpatient clinical teams in general medicine,¹¹ psychiatry (J R Geddes et al, Royal College of Psychiatrists winter meeting, January 1996), and surgery (P McCulloch, personal communication) have

provided evidence based care to the vast majority of their patients. Such studies show that busy clinicians who devote their scarce reading time to selective, efficient, patient driven searching, appraisal, and incorporation of the best available evidence can practice evidence based medicine.

Evidence based medicine is not "cookbook" medicine. Because it requires a bottom up approach that integrates the best external evidence with individual clinical expertise and patients' choice, it cannot result in slavish, cookbook approaches to individual patient care. External clinical evidence can inform, but can never replace, individual clinical expertise, and it is this expertise that decides whether the external evidence applies to the individual patient at all and, if so, how it should be integrated into a clinical decision. Similarly, any external guideline must be integrated with individual clinical expertise in deciding whether and how it matches the patient's clinical state, predicament, and preferences, and thus whether it should be applied. Clinicians who fear top down cookbooks will find the advocates of evidence based medicine joining them at the barricades.

Some fear that evidence based medicine will be hijacked by purchasers and managers to cut the costs of health care. This would not only be a misuse of evidence based medicine but suggests a fundamental misunderstanding of its financial consequences. Doctors practising evidence based medicine will identify and apply the most efficacious interventions to maximise the quality and quantity of life for individual patients; this may raise rather than lower the cost of their care.

Evidence based medicine is not restricted to randomised trials and meta-analyses. It involves tracking down the best external evidence with which to answer our clinical questions. To find out about the accuracy of a diagnostic test, we need to find proper cross sectional studies of patients clinically suspected of harbouring the relevant disorder, not a randomised trial. For a question about prognosis, we need proper follow up studies of patients assembled at a uniform, early point in the clinical course of their disease. And sometimes the evidence we need will come from the basic sciences such as genetics or immunology. It is when asking questions about therapy that we should try to avoid the non-experimental approaches, since these routinely lead to false positive conclusions about efficacy. Because the randomised trial, and especially the systematic review of several randomised trials, is so much more likely to inform us and so much less likely to mislead us, it has become the "gold standard" for judging whether a treatment does more good than harm. However, some questions about therapy do not require randomised trials (successful interventions for otherwise fatal conditions) or cannot wait for the trials to be conducted. And if no randomised trial has been carried out for our patient's predicament, we must follow the trail to the next best external evidence and work from there.

Despite its ancient origins, evidence based medicine remains a relatively young discipline whose positive impacts are just beginning to be validated,^{12 13} and it will continue to evolve. This evolution will be enhanced as several undergraduate, postgraduate, and continuing medical education programmes adopt and adapt it to their learners' needs. These programmes, and their evaluation, will provide further information and understanding about what evidence based medicine is and is not.

Professor NHS Research and Development Centre for Evidence Based Medicine, Oxford Radcliffe NHS Trust, Oxford OX3 9DU

Clinical tutor in medicine Nuffield Department of Clinical Medicine, University of Oxford, Oxford

Director of research and development Anglia and Oxford Regional Health Authority, Milton Keynes

Professor of medicine and clinical epidemiology McMaster University, Hamilton, Ontario Canada

Clinical associate professor of medicine University of Rochester School of Medicine and Dentistry, Rochester, New York, USA

David L Sackett, William M C Rosenberg, J A Muir Gray, R Brian Haynes, W Scott Richardson

1. British Medical Association. Report of the working party on medical education. London: BMA, 1995.
2. Standing Committee on Postgraduate Medical and Dental Education. Creating a better learning environment in hospitals. 1. Teaching hospital doctors and dentists to teach. London: SCOPME, 1994.
3. General Medical Council. Education committee report. London: GMC, 1994.
4. Grahame-Smith D. Evidence based medicine: Socratic dissent. *BMJ* 1995;310:1126-7. [Free Full Text]
5. Evidence based medicine; in its place [editorial]. *Lancet* 1995;346:785. [Medline]
6. Correspondence. Evidence based medicine. *Lancet* 1995;346:1171-2.

7. Weatherall DJ: The inhumanity of medicine. *BMJ* 1994;309;1671-2.
8. House of Commons Health Committee. Priority setting in the NHS: purchasing. First report sessions 1994-95. London: HMSO, 1995. (HC 134-1.)
9. Davidoff F, Haynes B, Sackett D, Smith R. Evidence based medicine: a new journal to help doctors identify the information they need. *BMJ* 1995;310:1085-6. [Free Full Text]
10. Sackett DL. Surveys of self-reported reading times of consultants in Oxford, Birmingham, Milton-Keynes, Bristol, Leicester, and Glasgow. In: Rosenberg WMC, Richardson WS, Haynes RB, Sackett DL. Evidence-based medicine. London: Churchill Livingstone (in press).
11. Ellis J, Mulligan I, Rowe J, Sackett DL. Inpatient general medicine is evidence based. *Lancet* 1995;346:407-10. [Medline]
12. Bennett RJ, Sackett DL, Haynes RB, Neufeld VR. A controlled trial of teaching critical appraisal of the clinical literature to medical students. *JAMA* 1987;257:2451-4. [Abstract/Free Full Text]
13. Shin JH, Flaynes RB, Johnston ME. Effect of problem-based, self-directed undergraduate education on life-long learning. *Can Med Assoc J* 1993;148:969-76. [Abstract]



Relevant Articles

Chiropractors: clarifying the issues

Richard Brown

BMJ 2009 339: b2782. [Extract] [Full Text]

Management of lateral hip pain

Roald Bahr and Karim Khan

BMJ 2009 338: b713. [Extract] [Full Text]

Individuals, averages, and evidence based medicine

Andrew Moore, Sebastian Straube, Sheena Derry, and Henry McQuay

BMJ 2008 337: a2585. [Extract] [Full Text]

Evidence based medicine and the medical curriculum

Paul Glasziou, Amanda Burls, and Ruth Gilbert

BMJ 2008 337: a1253. [Extract] [Full Text]

Evidence based prescribing

Simon R J Maxwell

BMJ 2005 331: 247-248. [Extract] [Full Text] [PDF]

Evidence based medicine: does it make a difference?: Use wisely

Benjamin Druss

BMJ 2005 330: 92. [Extract] [Full Text] [PDF]

This article has been cited by other articles:

- Lagarde, S. M., Vrouenraets, B. C., Stassen, L. P.S., van Lanschot, J. J. B. (2010). Evidence-Based Surgical Treatment of Esophageal Cancer: Overview of High-Quality Studies. *Ann. Thorac. Surg.* 89: 1319-1326 [Abstract] [Full text]

- Singhal, S., Ferraris, V. A., Bridges, C. R., Clough, E. R., Mitchell, J. D., Fernando, H. C., Shrager, J. B. (2010). Management of Alveolar Air Leaks After Pulmonary Resection. *Ann. Thorac. Surg.* 89: 1327-1335 [Abstract] [Full text]
- Harrison, J., Kulkarni, K., Baguneid, M., Prendergast, B. (2010). Chapter 2 An introduction to evidence-based medicine. *Oxford Handbook of Key Clinical Evidence 1*: med-9780199234073-chapter-med-9780199234073-chapter [Full text]
- Davison, S. N., Kromm, S. K., Currie, G. R. (2010). Patient and health professional preferences for organ allocation and procurement, end-of-life care and organization of care for patients with chronic kidney disease using a discrete choice experiment. *Nephrol Dial Transplant* 0: gfg072v1-gfg072 [Abstract] [Full text]
- Morgan, G. (2010). Evidence-based health policy: A preliminary systematic review. *Health Education Journal* 69: 43-47 [Abstract]
- Bloomrosen, M., Detmer, D. E (2010). Informatics, evidence-based care, and research; implications for national policy: a report of an American Medical Informatics Association health policy conference. *J Am Med Inform Assoc* 17: 115-123 [Abstract] [Full text]
- Bailey, R. L. (2010). Strengthening Connections Between University Classrooms and Clinical Settings. *Swallowing and Swallowing Disorders (Dysphagia)* 19: 26-29 [Abstract] [Full text]
- Stratford, P. W. (2010). The Added Value of Confidence Intervals. *ptjournal* 90: 333-335 [Full text]
- Reed, J., Mans, C. K., Brietzke, S. E. (2010). Statistics or Ethics? Decision to Treat Drooling-- Reply. *Arch Otolaryngol Head Neck Surg* 136: 315-316 [Full text]
- Hansen, K., Kappel, K. (2010). The Proper Role of Evidence in Complementary/Alternative Medicine. *J Med Philos* 35: 7-18 [Abstract] [Full text]
- Goring, H., Turner, E., Day, E., Vassilas, C. A., Aynsley, M. (2010). A clinical librarian pilot project in psychiatry. *The Psychiatrist* 34: 65-68 [Abstract] [Full text]
- Gaugler, J. E. (2010). The Art and Science of Caregiving. *The Gerontologist* 50: 133-137 [Full text]
- MANDELL, B. F. (2010). Evidence, limes, and cement. *Cleveland Clinic Journal of Medicine* 77: 7-7 [Full text]
- Stark, L. J (2010). Introduction to the Special Issue: Quality Improvement in Pediatric Psychology. *J Pediatr Psychol* 35: 1-5 [Full text]
- Kreyenbuhl, J., Buchanan, R. W., Dickerson, F. B., Dixon, L. B. (2010). The Schizophrenia Patient Outcomes Research Team (PORT): Updated Treatment Recommendations 2009. *Schizophr Bull* 36: 94-103 [Abstract] [Full text]
- Glancy, G. D., Saini, M. (2009). The Confluence of Evidence-Based Practice and Daubert Within the Fields of Forensic Psychiatry and the Law. *J Am Acad Psychiatry Law* 37: 438-441 [Full text]
- Schneider, R. D. (2009). Commentary: Evidence-Based Practice and Forensic Psychiatry. *J Am Acad Psychiatry Law* 37: 503-508 [Abstract] [Full text]
- Fisher, M. A., Beeson, D. C., Hans, M. G. (2009). Dental Practice Network of U.S. Dental Schools. *J Dent Educ* 73: 1387-1393 [Abstract] [Full text]

- Morehead, R. S. (2009). Gastro-oesophageal reflux disease and non-asthma lung disease. *ERR* 18: 233-243 [Abstract] [Full text]
- Hughes, G. B. (2009). Healthcare reform will demand more randomized controlled clinical trials. *Clin Trials* 6: 661-662
- Ives, J., Draper, H., Damery, S., Wilson, S. (2009). Do family doctors have an obligation to facilitate research?. *Fam Pract* 26: 543-548 [Abstract] [Full text]
- Strauss, D. C., Thomas, J. M. (2009). What Does the Medical Profession Mean By "Standard of Care?". *JCO* 27: e192-e193 [Full text]
- McCauley, R. J., Strand, E., Lof, G. L., Schooling, T., Frymark, T. (2009). Evidence-Based Systematic Review: Effects of Nonspeech Oral Motor Exercises on Speech. *AJSLP* 18: 343-360 [Abstract] [Full text]
- Aarons, G. A., Wells, R. S., Zagursky, K., Fettes, D. L., Palinkas, L. A. (2009). Implementing Evidence-Based Practice in Community Mental Health Agencies: A Multiple Stakeholder Analysis. *AJPH* 99: 2087-2095 [Abstract] [Full text]
- Allen, R. T., Rihn, J. A., Glassman, S. D., Currier, B., Albert, T. J., Phillips, F. M. (2009). An Evidence-Based Approach to Spine Surgery. *American Journal of Medical Quality* 24: 15S-24S [Abstract]
- Loewy, J. V., Aldridge, D. (2009). Music & Medicine: Debating Evidence-Based Strategies and Outcomes. *Music and Medicine* 1: 81-85 [Full text]
- Salbach, N. M., Guilcher, S. J.T., Jaglal, S. B., Davis, D. A. (2009). Factors Influencing Information Seeking by Physical Therapists Providing Stroke Management. *ptjournal* 89: 1039-1050 [Abstract] [Full text]
- Tan, E. H., Chan, A. (2009). Evidence-Based Treatment Options for the Management of Skin Toxicities Associated with Epidermal Growth Factor Receptor Inhibitors. *The Annals of Pharmacotherapy* 43: 1658-1666 [Abstract] [Full text]
- Brien, S., Dibb, B., Burch, A. (2009). The Use of Intuition in Homeopathic Clinical Decision Making: An Interpretative Phenomenological Study. *Evid Based Complement Alternat Med* 0: nep153v1-nep153 [Abstract] [Full text]
- Bhattacharyya, O., Reeves, S., Zwarenstein, M. (2009). What Is Implementation Research?: Rationale, Concepts, and Practices. *Research on Social Work Practice* 19: 491-502 [Abstract]
- Fixsen, D. L., Blase, K. A., Naoom, S. F., Wallace, F. (2009). Core Implementation Components. *Research on Social Work Practice* 19: 531-540 [Abstract]
- Manuel, J. I., Mullen, E. J., Lin Fang, , Bellamy, J. L., Bledsoe, S. E. (2009). Preparing Social Work Practitioners to Use Evidence-Based Practice: A Comparison of Experiences From an Implementation Project. *Research on Social Work Practice* 19: 613-627 [Abstract]
- Hidecker, M. J. C., Jones, R. S., Imig, D. R., Villarruel, F. A. (2009). Using Family Paradigms to Improve Evidence-Based Practice. *AJSLP* 18: 212-221 [Abstract] [Full text]
- Valentine, K. (2009). Evidence, values and drug treatment policy. *Critical Social Policy* 29: 443-464 [Abstract]

- Haut, E. R., Chang, D. C., Hayanga, A. J., Efron, D. T., Haider, A. H., Cornwell, E. E. III (2009). Surgeon- and System-Based Influences on Trauma Mortality. *Arch Surg* 144: 759-764 [Abstract] [Full text]
- Brown, R. (2009). Chiropractors: clarifying the issues. *BMJ* 339: b2782-b2782 [Full text]
- Hirsch, J. A, Meyers, P. M, Barr, J., Jensen, M. E, Derdeyn, C., Manchikanti, L. (2009). Technical standards and practice guidelines: should we? Why now? Why SNIS?. *Journal of NeuroInterventional Surgery* 0: jnis.2009.000679v1-jnis.2009.000679 [Full text]
- Barghouti, F., Halaseh, L., Said, T., Mousa, A. H., Dabdoub, A. (2009). Evidence-based medicine among Jordanian family physicians: Awareness, attitude, and knowledge. *cfp* 55: e6-e13 [Abstract] [Full text]
- Midgley, N. (2009). Editorial: Improvers, Adapters and Rejecters -- the Link between 'Evidence-based Practice' and 'Evidence-based Practitioners'. *Clin Child Psychol Psychiatry* 14: 323-327
- Tang, J.-L., Griffiths, S. (2009). Review Paper: Epidemiology, Evidence-Based Medicine, and Public Health. *Asia Pac J Public Health* 21: 244-251 [Abstract]
- Salbach, N. M., Veinot, P., Rappolt, S., Bayley, M., Burnett, D., Judd, M., Jaglal, S. B. (2009). Physical Therapists' Experiences Updating the Clinical Management of Walking Rehabilitation After Stroke: A Qualitative Study. *ptjournal* 89: 556-568 [Abstract] [Full text]
- Mendel, J. (2009). Letter to the Editor. *Journal of Research in Nursing* 14: 281-282
- Egerod, I. (2009). Cultural Changes in ICU Sedation Management. *Qual Health Res* 19: 687-696 [Abstract]
- Barrett, B., Byford, S. (2009). Economic evaluations in evidence based healthcare. *Evid. Based Ment. Health* 12: 36-39 [Full text]
- Odom, S. L. (2009). The Tie That Binds: Evidence-Based Practice, Implementation Science, and Outcomes for Children. *Topics in Early Childhood Special Education* 29: 53-61 [Abstract]
- Schemitsch, E. H., Bhandari, M., McKee, M. D., Zdero, R., Tornetta, P. III, McGehee, J. B., Hawkins, R. J. (2009). Orthopaedic Surgeons: Artists or Scientists?. *JBJS* 91: 1264-1273 [Full text]
- Hoppe, D. J., Schemitsch, E. H., Morshed, S., Tornetta, P. III, Bhandari, M. (2009). Hierarchy of Evidence: Where Observational Studies Fit in and Why We Need Them. *JBJS* 91: 2-9 [Abstract] [Full text]
- Brauer, C. A., Bozic, K. J. (2009). Using Observational Data for Decision Analysis and Economic Analysis. *JBJS* 91: 73-79 [Abstract] [Full text]
- Bahr, R., Khan, K. (2009). Management of lateral hip pain. *BMJ* 338: b713-b713 [Full text]
- Kopetz, S., Abbruzzese, J. L. (2009). Hidden Biases in an Observational Study of Bevacizumab Beyond Progression. *JCO* 27: 1732-1733 [Full text]
- Chang, E. Y., Pannucci, C. J., Wilkins, E. G. (2009). Quality of Clinical Studies in Aesthetic Surgery Journals: A 10-Year Review. *Aesthetic Surgery Journal* 29: 144-147 [Abstract] [Full text]
- Lundeberg, T., Lund, I. (2009). Treatment recommendations should take account of individual patient variation not just group responses. *Acupuncture in Medicine* 27: 31-32 [Abstract] [Full text]

- Eknoyan, G., Lameire, N. (2009). Global nephrology guidelines: a first small step in the right direction. *Nephrol Dial Transplant* 24: 728-730 [Full text]
- van de Luitgaarden, G. M. J. (2009). Evidence-Based Practice in Social Work: Lessons from Judgment and Decision-Making Theory. *Br J Soc Work* 39: 243-260 [Abstract] [Full text]
- Sherman, L. W. (2009). Evidence and liberty: The promise of experimental criminology. *Criminal Justice* 9: 5-28 [Abstract]
- Guzelian, P., Victoroff, M., Halmes, C, James, R. (2009). Clear path: towards an evidence-based toxicology (EBT). *Hum Exp Toxicol* 28: 71-79
- Guzelian, P (2009). 1.3 Consensus, opinion, and evidence-based science - three methods of reaching conclusions in toxicology. *Hum Exp Toxicol* 28: 97-99
- Rousseau, P. (2009). Evidence-based Medicine: Show Me the Evidence!. *AM J HOSP PALLIAT CARE* 26: 5-7
- Neugebauer, E. (2009). 2. Evidence-based medicine - a possible model for evidence-based toxicology?: 2.1 Translation of evidence-based medicine into practice. *Hum Exp Toxicol* 28: 105-107
- Prins, D., Ingham, R. J. (2009). Evidence-Based Treatment and Stuttering--Historical Perspective. *JSLHR* 52: 254-263 [Abstract] [Full text]
- Cook, S., Chambers, E., Coleman, J. H (2009). Occupational therapy for people with psychotic conditions in community settings: a pilot randomized controlled trial. *Clin Rehabil* 23: 40-52 [Abstract]
- Herbst, J., Jenders, R., McKenna, R., Marchevsky, A. (2009). Evidence-Based Criteria to Help Distinguish Metastatic Breast Cancer From Primary Lung Adenocarcinoma on Thoracic Frozen Section. *Am J Clin Pathol* 131: 122-128 [Abstract] [Full text]
- Sestini, P., Irving, L. B. (2009). The Need for Expertise and the Scientific Base of Evidence-Based Medicine. *Chest* 135: 245-245 [Full text]
- Watson, M., Lucas, C., Hoy, A., Wells, J. (2009). Further reading. *Oxford Handbook of Palliative Care* 2: med-9780199234356-div1-34-med-9780199234356-div1-34 [Full text]
- Beuth, J. (2008). Proteolytic Enzyme Therapy in Evidence-Based Complementary Oncology: Fact or Fiction?. *Integr Cancer Ther* 7: 311-316 [Abstract]
- Aro, A. R., Smith, J., Dekker, J. (2008). Contextual evidence in clinical medicine and health promotion. *Eur J Public Health* 18: 548-549 [Full text]
- Moore, A., Straube, S., Derry, S., McQuay, H. (2008). Individuals, averages, and evidence based medicine. *BMJ* 337: a2585-a2585 [Full text]
- Agrawal, S., Szatmari, P., Hanson, M. (2008). Teaching Evidence-Based Psychiatry: Integrating and Aligning the Formal and Hidden Curricula. *Acad. Psychiatry* 32: 470-474 [Abstract] [Full text]
- Mascola, A. J. (2008). Guided Mentorship in Evidence-Based Medicine for Psychiatry: A Pilot Cohort Study Supporting a Promising Method of Real-Time Clinical Instruction. *Acad. Psychiatry* 32: 475-483 [Abstract] [Full text]
- Justice, L. (2008). Evidence-Based Terminology. *AJSLP* 17: 324-325 [Full text]

- Yusof, Z. Y.M., Han, L. J., San, P. P., Ramli, A. S. (2008). Evidence-Based Practice Among a Group of Malaysian Dental Practitioners. *J Dent Educ* 72: 1333-1342 [Abstract] [Full text]
- Cook, B. G., Tankersley, M., Harjusola-Webb, S. (2008). Evidence-Based Special Education and Professional Wisdom: Putting It All Together. *Intervention in School and Clinic* 44: 105-111 [Abstract]
- Hewison, A. (2008). Evidence-Based Policy: Implications for Nursing and Policy Involvement. *Policy Politics Nursing Practice* 9: 288-298 [Abstract]
- Graf, W. D., Kayyali, H. R., Alexander, J. J., Simon, S. D., Morriss, M. C. (2008). Neuroimaging-Use Trends in Nonacute Pediatric Headache Before and After Clinical Practice Parameters. *Pediatrics* 122: e1001-e1005 [Abstract] [Full text]
- Swoboda, D. A. (2008). Negotiating the diagnostic uncertainty of contested illnesses: physician practices and paradigms. *Health (London)* 12: 453-478 [Abstract]
- Das, K., Malick, S., Khan, K. S (2008). Tips for teaching evidence-based medicine in a clinical setting: lessons from adult learning theory. Part one. *JRSM* 101: 493-500 [Abstract] [Full text]
- Semenza, J. C., Apfel, F., Rose, T., Giesecke, J. (2008). A network strategy to advance public health in Europe. *Eur J Public Health* 18: 441-447 [Full text]
- Keeley, P W (2008). Improving the evidence base in palliative medicine: a moral imperative. *J. Med. Ethics* 34: 757-760 [Abstract] [Full text]
- Evans, W. D., McCormack, L. (2008). Applying Social Marketing in Health Care: Communicating Evidence to Change Consumer Behavior. *Med Decis Making* 28: 781-792 [Abstract]
- Mayers, L. (2008). Return-to-Play Criteria After Athletic Concussion: A Need for Revision. *Arch Neurol* 65: 1158-1161 [Abstract] [Full text]
- Hambly, K., Griva, K. (2008). IKDC or KOOS? Which Measures Symptoms and Disabilities Most Important to Postoperative Articular Cartilage Repair Patients?. *Am J Sports Med* 36: 1695-1704 [Abstract] [Full text]
- Tiburi, M. F (2008). Evidence-based medicine as viewed by key decision-makers of health plans in southern Brazil. *Health Serv Manage Res* 21: 185-191 [Abstract] [Full text]
- Sullivan, D. C. (2008). Imaging as a Quantitative Science. *Radiology* 248: 328-332 [Full text]
- Lass, N. J., Pannbacker, M. (2008). The Application of Evidence-Based Practice to Nonspeech Oral Motor Treatments. *LSHSS* 39: 408-421 [Abstract] [Full text]
- Braun, S., Kleynen, M., Schols, J., Schack, T., Beurskens, A., Wade, D. (2008). Using mental practice in stroke rehabilitation: a framework. *Clin Rehabil* 22: 579-591 [Abstract]
- Mullen, E. J., Bledsoe, S. E., Bellamy, J. L. (2008). Implementing Evidence-Based Social Work Practice. *Research on Social Work Practice* 18: 325-338 [Abstract]
- Gredig, D., Sommerfeld, P. (2008). New Proposals for Generating and Exploiting Solution-Oriented Knowledge. *Research on Social Work Practice* 18: 292-300 [Abstract]
- McCracken, S. G., Marsh, J. C. (2008). Practitioner Expertise in Evidence-Based Practice Decision Making. *Research on Social Work Practice* 18: 301-310 [Abstract]
- Jacobsen, P. B., Jim, H. S. (2008). Psychosocial Interventions for Anxiety and Depression in Adult

Cancer Patients: Achievements and Challenges. *CA Cancer J Clin* 58: 214-230

[Abstract] [Full text]

Rapid Responses:

Read all Rapid Responses

Evidence Based Medicine as Frame of Phytotherapy

F Firenzuoli

bmj.com, 15 Aug 2000 [Full text]

Re: Is EBM a Belief?

Peter Morrell

bmj.com, 5 Dec 2000 [Full text]

Re: Re: Is EBM a Belief?

Joseph Watine

bmj.com, 5 Dec 2000 [Full text]

Evidence-Based Medicine Revisited

Abd H Mat Sain

bmj.com, 26 Jan 2004 [Full text]

Evidence-based Medicine: Why in Genuinely Protestant Countries?

Andreas U Gerber, et al.

bmj.com, 22 Apr 2004 [Full text]

Re: Evidence-based Medicine: Why in Genuinely Protestant Countries?

John D Stone

bmj.com, 23 Apr 2004 [Full text]

The rich and fertile tapestry of evidence

John C Chambers

bmj.com, 22 Oct 2008 [Full text]

What constitutes expert opinion?

Joseph A Sonnabend

bmj.com, 31 Oct 2008 [Full text]

Contact us - Privacy policy - Web site terms & conditions - Revenue sources - Site map
HighWire Press - Feedback - Help - © 1996 BMJ Publishing Group Ltd.